

Home Page

INTENGO RANGE

Click on a Division to Access Your Area of Interest.

Content

- Product Information
- Surface Preparation
- Application Process
- Drying Time
- Technical Specification
- Hazard Identification
- Safety Precautions
- First Aid Measures
- Fire Fighting Measures
- Spillage
- Handling and Storage
- Exposure Control and Personal Protection
- Stability and Reactivity
- Disposal
- Intengo Disclaimer
- Intengo Color Disclaimer
- Intengo Delivery and Transportation
- System Warranty and Usage
- Color Selection

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Product Information

Product Name: Intengo Economy Flexi Oxide Primer™

Product Code: 1800™

Manufacturer: Selchem Manufacturing (Pty) Ltd

Head Office: 50 South Main Reef Rd, New Era, Springs, 1559



Product Information

Intengo Flexi Water-Based Oxide Primer is a water-based primer designed for base-coat applications. It provides a good adhesion, rust prevention prior to the top coat application

Key Features

Water-Based Formula: Easy clean-up and low odor.

Good Adhesion: Bonds well to various substrates, including concrete, masonry, and drywall.

Fast-Drying: Quick-drying formula allows for fast recoat times.

Note the above serves as a guide line only, spread rates would differ according to service type preparation, texture and porosity

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Surface Preparation

Cleaning: Ensure the surface is clean, dry, and free of dirt, oil, or grease.

Repair any cracks or holes with a suitable cement-based filler.

Rinse the surface thoroughly with clean water.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Application Process

Application Method: Brush, roller, or spray.

Application Temperature: 10°C to 30°C.

Application Humidity: 50% to 80%.

Drying Time: 4 hour at 20°C.

Curing Time: 36 hours at 20°C.

Typical Applications

Suitable for use on concrete and masonry substrates.

Can be used on drywall and plaster substrates.

Suitable for use in new construction projects.

Ideal for renovation and repair projects.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Drying Time

Factors Affecting Drying Time The drying time of will depend on two key factors:

- Humidity: Ambient humidity levels will influence drying time.
- Temperature: Surface temperature, not ambient temperature, will affect drying time.

Important Notes

Temperature (°C)	Drying Time 2mm Thickness	Drying Time 4mm Thickness	Drying Time 6mm Thickness
45°C	45 minutes	3 hours	6 hours
30°C	1 hour	4 hours	8 hours
25°C	5 hours	20 hours	40 hours
15°C	8 hours	32 hours	64 hours
10°C	12 hours	48 hours	96 hours
5°C	24 hours	96 hours	192 hours

The temperatures listed are surface temperatures, not ambient temperatures.

Drying times may vary depending on specific environmental conditions.

It is essential to ensure the coating is fully dry before exposing the roof to water or foot traffic.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Technical Specification

pH Value: 8

Density (dg): 0.9-1.1 g/cm³

Dry Film Thickness (DFT): 75 microns

Wet Film Thickness (WFT): 150 microns

Solids Content: 40 %

Polymer Type: PVA

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Hazard Identification

- Skin and Eye Irritation: May cause skin and eye irritation.
- Prolonged exposure may lead to dryness and cracking of skin.
- Inhalation: Inhalation of fumes may cause respiratory irritation

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Safety Precautions

Safety Precautions

- **Wear Protective Clothing:** Wear gloves, safety glasses, and a mask to prevent skin and eye contact and inhalation of fumes.
- **Ensure Adequate Ventilation:** Use in well-ventilated areas to prevent inhalation of fumes.
- **Avoid Slip and Fall:** Ensure coating is fully dry before exposing the roof to foot traffic.
- **Keep Away from Heat and Flames:** Do not apply near open flames or sparks.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

First Aid Measures

In the event of an accident, please follow these first aid measures.

- Skin Contact: Wash affected area with soap and water. Seek medical attention if irritation persists.
- Eye Contact: Flush eyes with water. Seek medical attention if irritation persists.
- Inhalation: Move to fresh air. Seek medical attention if symptoms persist.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Fire Fighting Measures

Fire Fighting Measures

- Fire Hazards:- Non-Flammable: This product is water-based and non-flammable.
- Combustible Packaging: Packaging materials, such as cardboard or plastic, may be combustible.

Fire Fighting Instructions

- Extinguishing Media: Use water spray or foam to extinguish fires.
- Fire Fighting Techniques: Use water spray to cool surrounding areas and prevent re-ignition.
- Special Fire Fighting Procedures: None required.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Spillage

Accidental Release Measures:

- Spill Response: Containment: Contain spills immediately using absorbent materials, such as sand or vermiculite.
- Cleanup: Clean up spills using a detergent solution and water.
- Disposal: Dispose of contaminated materials and cleaning solutions according to local regulations.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Handling & Storage

Handling

- **Handle with Care:** Handle containers with care to prevent damage and spills.
- **Use Suitable Equipment:** Use suitable equipment, such as pallet jacks or forklifts, to move containers.
- **Avoid Dropping:** Avoid dropping containers, as this may cause damage or spills.

Storage

- **Store in Original Container:** Store the product in its original container, tightly sealed and upright.
- **Store in Dry, Well-Ventilated Area:** Store the product in a dry, well-ventilated area, away from direct sunlight and heat sources.
- **Check Storage Dates:** Check the storage date on the container prior to usage. This product has a shelf life of 6 months from the invoice date.
- **Rotate Stock:** Rotate stock to ensure that older containers are used before newer ones.

Expiry and Shelf Life:

- **Shelf Life:** This product has a shelf life of 6 months from the invoice date.
- **Expiry Date:** Check the invoice date and ensure that the product is used before the expiry date.
- **Usage After Expiry:** Do not use the product after the expiry date, as its performance and quality may be compromised.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Exposure Control & Personal Protection

Environmental Precautions:

- Prevent Entry into Waterways: Prevent spills from entering waterways, sewers, and drains.
- Prevent Soil Contamination: Prevent spills from contaminating soil and groundwater

Personal Precautions:

- Wear Protective Clothing: Wear protective clothing, including gloves and safety glasses, to prevent skin and eye contact.
- Ensure Adequate Ventilation: Ensure adequate ventilation to prevent inhalation of fumes.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Stability & Reactivity

Stability:

- **Stable under Normal Conditions:** This product is stable under normal storage and handling conditions.
- **Avoid Extreme Temperatures:** Avoid storing or handling the product at extreme temperatures (below 5°C or above 30°C).
- **Avoid Exposure to Direct Sunlight:** Avoid exposing the product to direct sunlight for extended periods.

Reactivity:

- **Incompatible Materials:** Avoid mixing the product with incompatible materials, such as strong acids or bases, oxidizing agents, or flammable liquids.
- **Hazardous Reactions:** No hazardous reactions are expected under normal storage and handling conditions.
- **Polymerization:** No polymerization is expected under normal storage and handling conditions.

Conditions to Avoid:

- **High Temperatures:** Avoid exposing the product to high temperatures (above 30°C) for extended periods.
- **Open Flames:** Keep the product away from open flames or sparks.
- **Ignition Sources:** Keep the product away from ignition sources, such as electrical equipment or hot surfaces.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Disposal

Disposal Methods:

- Dispose of as Hazardous Waste: This product is not biodegradable and is toxic to aquatic life
- Dispose of as hazardous waste in accordance with local regulations.
- Do Not Dispose of in Drainage Systems: Do not dispose of this product in drainage systems, including sewers and storm drains.
- Do Not Dispose of in Waterways: Do not dispose of this product in waterways, including rivers, lakes, and oceans

Disposal Containers:

- Use Suitable Containers: Dispose of this product in suitable containers, such as those made of high-density polyethylene (HDPE) or polypropylene (PP).
- Label Containers: Label containers as "Hazardous Waste" and include the product name and hazard statement.

Disposal Facilities:

- Use Authorized Disposal Facilities: Dispose of this product at authorized hazardous waste disposal facilities.
- Check with Local Authorities: Check with local authorities for information on hazardous waste disposal facilities in your area.

Special Precautions:

- Protect the Environment: Take all necessary precautions to prevent the release of this product into the environment.
- Minimize Waste: Minimize waste generation and dispose of waste in accordance with local regulations.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Intengo Disclaimer

Intellectual Property Protection:

Copyrights

- All content, including but not limited to text, images, graphics, and formulations, contained in this document or related to our products is the exclusive property of Selchem Holdings Group Limited and is protected by copyright laws. No part of this content may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Selchem Holdings Group Limited.

Trademarks:

- Selchem Holdings Group Limited and its affiliated companies' logos, product names, and trademarks are the exclusive property of Selchem Holdings Group Limited and are protected by trademark laws. No use of these logos, product names, or trademarks may be made without the prior written permission of Selchem Holdings Group Limited.

Patents:

- Selchem Holdings Group Limited and its affiliated companies own various patents and pending patents related to our products. No use of these patented technologies may be made without the prior written permission of Selchem Holdings Group Limited.

Confidentiality:

- All information contained in this document or related to our products, including but not limited to formulations, manufacturing processes, and business strategies, is confidential and proprietary to Selchem Holdings Group Limited. No disclosure or use of this confidential information may be made without the prior written permission of Selchem Holdings Group Limited.

Distribution Restrictions:

- No part of this document or any related information may be distributed, sold, or otherwise transferred to any third party without the prior written permission of Selchem Holdings Group Limited.

Protection of Trade Secrets:

- Selchem Holdings Group Limited and its affiliated companies have developed and own various trade secrets related to our products. No use or disclosure of these trade secrets may be made without the prior written permission of Selchem Holdings Group Limited.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Repackaging Restrictions

- No Intengo products may be repackaged into another branded container without the prior written permission of Selchem Holdings Group Limited. This includes, but is not limited to:
- Re-labelling or re-branding Intengo products
- Changing the packaging or container of Intengo products
- Selling or distributing Intengo products under a different brand name
- Any unauthorized repackaging or re-branding of Intengo products may result in legal action and may void any warranties or guarantees provided by Selchem Holdings Group Limited.

Resale Restrictions:

- Intengo products may not be resold or unsold unless approved in writing by Intengo or its authorized agencies and franchises. This includes, but is not limited to:
- Reselling Intengo products to third parties
- On selling Intengo products through online marketplaces or other channels
- Transferring Intengo products to other companies or individuals
- Any unauthorized resale or on sale of Intengo products may result in legal action and may void any warranties or guarantees provided by Selchem Holdings Group Limited.

Notice of Proprietary Rights:

- By using our products or accessing our information, you acknowledge and agree that you have read, understood, and will comply with the terms and conditions of this intellectual property protection statement.

Governing Law:

- This intellectual property protection statement shall be governed by and construed in accordance with the laws of South Africa

Changes to Statement:

- We reserve the right to modify or update this intellectual property protection statement at any time without prior notice.
- By using our products or accessing our information, you acknowledge and agree that you have read, understood, and will comply with the terms and conditions of this intellectual property protection statement.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

IntengoColor Disclaimer

Color Variations:

- Due to the inherent nature of pigments and dyes, color variations may occur between batches of the same color. These variations can be attributed to various factors, including:
- Differences in pigment sources
- Variations in organic and synthetic pigment properties
- Manufacturing process tolerances

Color Matching:

- While we strive to maintain consistent color standards, it is essential to check the color of each batch before use. If you have multiple batches of the same color, it is recommended to intermix all batches to achieve a uniform color.

No Guarantee of Color Match:

- We do not guarantee an exact color match between batches or to any color standard, including but not limited to Pantone, RAL, or NCS colors. Our colors are subject to change without notice, and we reserve the right to modify our color formulations as needed.

Limitation of Liability:

- In no event shall Selchem Holdings Group Limited, its affiliates, or its suppliers be liable for any damages, including but not limited to incidental, consequential, or punitive damages, arising from color variations or mismatches.

Customer Responsibility:

- It is the customer's responsibility to inspect the color of each batch before use and to ensure that the color meets their requirements. By using our products, the customer acknowledges that they have read, understood, and agree to the terms and conditions of this color disclaimer.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Governing Law:

- This color disclaimer shall be governed by and construed in accordance with the laws of the country or region in which the product is purchased or used. For the avoidance of doubt, this includes but is not limited to:
- The laws of Australia, for products purchased or used in Australia
- the laws of New Zealand, for products purchased or used in New Zealand
- The laws of the European Union, for products purchased or used in the European Union
- The laws of the United States, for products purchased or used in the United States
- Any disputes arising from this disclaimer shall be resolved through arbitration in accordance with the rules of the relevant jurisdiction.

Changes to Disclaimer:

- We reserve the right to modify or update this color disclaimer at any time without prior notice.
- By using our products, you acknowledge and agree that you have read, understood, and will comply with the terms and conditions of this color disclaimer.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Intengo Delivery & Transportation

Risk of Loss:

- The risk of loss or damage to the product passes to the customer as soon as the product leaves the entrance floors of our premises. Intengo takes no responsibility for any damage or loss caused during handling, packaging, spillage, or transportation.

Customer Responsibility:

- It is the customer's responsibility to ensure that the product is properly secured prior to transport, during transit, and during on and off-loading. The customer must take all necessary precautions to prevent damage or loss to the product.

Ownership:

- Until full payment has been received by Price Paint, the customer acknowledges that Intengo retains ownership of the product. If payment is not made in accordance with the agreed terms, Intengo reserves the right to repossess the product.

Security Agreement:

- The customer grants to Intengo a security interest in the product, and in any proceeds from the sale or disposal of the product, until such time as the customer has made full payment for the product.

Default:

- If the customer fails to make payment in accordance with the agreed terms, or if the customer breaches any other term or condition of this agreement, Intengo may:
- Retain ownership of the product
- Repossess the product
- Sue for the outstanding debt
- Take any other action necessary to protect its interests

Governing Law:

- This agreement shall be governed by and construed in accordance with the laws of South Africa

Changes to Agreement:

- We reserve the right to modify or update this agreement at any time without prior notice.
- By purchasing from Price Paint, you acknowledge that you have read, understood, and agree to the terms and conditions of this agreement.
-

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

System Warranty & Usage

System Warranty and Usage:

- Complete System Requirement:
- Intengo products are specifically designed and formulated to work together as a complete system. To ensure optimal performance, durability, and to maintain warranties, it is essential that Intengo products are used in their entirety, as intended by the manufacturer.

Warranty Voidance:

- If Intengo products are not used as a complete system, or if they are combined with products from other manufacturers, Intengo reserves the right to void any and all warranties, guarantees, and liabilities associated with the products.

No Partial Warranty:

- Intengo will not provide any warranty or guarantee for products that are used in part or in combination with other products, unless explicitly authorized by Intengo in writing.

System Compatibility:

- It is the customer's responsibility to ensure that all Intengo products are compatible with each other and with the intended surface or substrate.

Warranty Conditions:

- To maintain warranty validity, the customer must:
- Use Intengo products in accordance with the manufacturer's instructions and recommendations
- Use Intengo products as a complete system, without combining them with products from other manufacturers
- Ensure proper surface preparation, application, and drying conditions
- Comply with all applicable laws, regulations, and industry standards

Disclaimer:

- Intengo disclaims all liability for any damages, losses, or expenses arising from the use of Intengo products in combination with products from other manufacturers, or from the failure to use Intengo products as a complete system.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Governing Law:

- This clause shall be governed by and construed in accordance with the laws of [State/Country]. Any disputes arising from this clause shall be resolved through [Dispute Resolution Process].


Changes to Clause:

- We reserve the right to modify or update this clause at any time without prior notice.
- By purchasing and using Intengo products, you acknowledge that you have read, understood, and agree to the terms and conditions of this clause.

The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za

Color Selection



The data contained herein is believed to be accurate and reliable. However, neither the abovenamed supplier nor any of its subsidiaries assume any legal liability whatsoever for the accuracy or completeness of information contained herein. users should undertake sufficient verification and testing to determine the suitability for their own purposes of any product or information contained herein. Recommendations are given in good faith but without warranty and subject to the exclusion of any liability.

All rights reserved. Copyright © Selchem Holdings Group Limited. No part of this [document/publication/material] may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Selchem Holdings Group Limited. For more information Legal@selchem.co.za